

## CERTIFICATE OF CONFORMITY OF FACTORY PRODUCTION CONTROL

This certificate is issued to:

**Manufacturer:** **LLC SEVERSTAL TPZ-SHEKSNA**  
**Industrial park "Sheksna", building 1,**  
**Vologda Region, Russian Federation**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

### **Cold formed welded structural hollow sections**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

### **EN 10219-1:2006 - Cold formed welded structural hollow sections of non - alloy and fine grain steels - Part 1: Technical delivery conditions**

under system 2+ are applied and that the products fulfil all the prescribed requirements set out above.

The attached Schedule, of the same date, details the manufacturing location(s), harmonised product standard and product parameters and shall form a part of this certificate.

This Certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Certificate No: 0038/CPR/RQA667102/1

Original Approval: 21 January 2011

Current Certificate: 21 January 2017

Expiry Date: 20 January 2020

LRV Notified Body Number 0038



L.H.M.W. Fok behalf of Lloyd's Register Verification



**CERTIFICATE OF CONFORMITY OF FACTORY PRODUCTION  
CONTROL No: 0038/CPR/ RQA667102/1SCHEDULE**

**Manufacturer: LLC SEVERSTAL TPZ-SHEKSNA  
Industrial park "Sheksna", building 1,  
Vologda Region, Russian Federation**

Tube-welding mill TESA 127-426

**Square hollow sections of S235JRH  
steel**

Size: from 100x100 mm up to 250x250 mm

Wall thickness: from 3,0 mm up to 8,0 mm

**Rectangular hollow sections of  
S235JRH steel**

Size: from 120x80 mm up to 300x200 mm

Wall thickness: from 3,0 mm up to 8,0 mm

**Circular hollow sections of S235JRH  
steel**

Diameter: up to 426 mm

Wall thickness: from 3,0 mm up to 12,0 mm

**Square and rectangular hollow sections  
of S420MH steel**

Size: from 100x100 mm up to 300x300 mm

Wall thickness: from 3,0 mm up to 12,5 mm

**CE marking method : 1**

Schedule Issue: 03

Date of Schedule Issue: 21 January 2017

LRV Notified Body Number 0038



L.H.M.W. Fok on behalf of Lloyd's Register Verification